My lab group requirements for final projects – details for specific models

1. Time series models – ARDL models

- a) stationarity tests;
- b) general-to-specific approach to variables selection;
- c) parameters interpretation;
- d) hypotheses verification;
- e) Ramsey-Reset test a linear form of the relationship;
- f) Breusch-Pagan's and White's tests homoscedasticity;
- g) Breusch-Godfrey test no autocorrelation;
- h) compare the final ARDL model with the ARIMA model.

2. Cointegration analysis

- a) stationarity tests;
- b) cointegration testing;
- c) general-to-specific approach to variables selection;
- d) parameters interpretation short-term and long-term part;
- e) hypotheses verification;
- f) Ramsey-Reset test a linear form of the relationship;
- g) Breusch-Pagan's and White's tests homoscedasticity;
- h) Breusch-Godfrey test no autocorrelation.

3. Models with Binary Dependent Variables

- a) logit model, and probit model, selection of significant variables;
- b) choice between logit and probit based on information criteria;
- c) general-to-specific method to variables selection;
- d) at least one interaction between variables;
- e) present the general model (logit, and probit), and the final model (the specif model) in one quality table. If there is space, at least one intermediate model might be presented;
- f) calculation and interpretation of marginal effects for the final model (from the general-to-specific approach);
- g) calculation and interpretation of odds ratios;
- h) perform the linktest and interpret the result;
- i) interpretation of the appropriate R^2 statistics (R^2 McKelvey-Zavoina, count R^2 , and adjusted count R^2 ;
- j) hypotheses verification;
- k) perform the Hosmer-Lemeshow and similar tests.

4. Ordered Choice Models

- a) estimate ordered probit and ordered logit, selection of the covariates;
- b) general-to-specific method to variables selection;
- c) at least one interaction between variables;
- d) present the general models (LPM, logit, and probit), and the final model (the specif model) in one quality table. If there is space, at least one intermediate model might be presented;
- e) calculation and interpretation of marginal effects for the final model (from the general-to-specific approach);
- f) interpretation of the appropriate R^2 statistics (R^2 McKelvey-Zavoina, count R^2 , and adjusted count R^2 ;
- g) perform the linktest and interpret the result;
- h) perform the Hosmer-Lemeshow test, the Lipsitz, and the Pulkstenis-Robinson tests;
- i) check the proportional odds assumption.

5. Models for Count Data

- a) estimate Poisson model, negative binomial regression, Zero-Inflated Poisson Model;
- b) choose the most appropriate one from the three mentioned in point (a);
- c) at least one interaction between variables;
- d) general-to-specific method to variables selection;
- e) present the general models (Poisson model, negative binomial regression, Zero-Inflated Poisson Model), and the final model (the specific model) in one quality table. If there is space, at least one intermediate model might be presented; Poisson model, negative binomial regression, Zero-Inflated Poisson model;
- f) interpret the final model parameters;
- g) interpretation of the appropriate R^2 statistics (R^2 McKelvey-Zavoina, count R^2 , and adjusted count R^2 ;
- h) perform the linktest and interpret the result;

6. Multinomial Logit

- a) general-to-specific method for variables selection;
- b) at least one interaction between variables;
- c) calculation and interpretation of marginal effects for the final model (from the general-to-specific approach);
- d) present the general model, and the final model (the specific model) in one quality table. If there is space, at least one intermediate model might be presented;
- e) perform the linktest and interpret the result.

7. Conditional Logit

- a) general-to-specific method to variables selection;
- b) at least one interaction between variables;
- c) calculation and interpretation of marginal effects for the final model (from the general-to-specific approach);
- d) present the general model, the final model (the specific model) in one quality table. If there is space, at least one intermediate model might be presented;
- e) perform the linktest and interpret the result.

8. Limited Dependent Variables (tobit)

- a) general-to-specific method to variables selection;
- b) at least one interaction between variables;
- c) calculate and interpret three kinds of marginal effects;
- d) present the general model, and the final model (the specific model) in one quality table. If there is space, at least one intermediate model might be presented;
- e) interpretation of the appropriate \mathbb{R}^2 statistics;
- f) check if the residuals are normally distributed;
- g) perform the linktest and interpret the result.

9. Panel Data Models

- a) estimate model with fixed and random effects estimators, check whether individual effects are significant;
- b) perform the Hausman specification test;
- c) general-to-specific method to variables selection;
- d) at least one interaction between variables;
- e) diagnostic tests for the final model;
- f) interpret the final model parameters;
- g) present the general model, and the final model (the specific model) in one quality table. If there is space, at least one intermediate model might be presented.